Mob : 98454 35340
99010 43822
Ph. : 65640352

Babu Power Electricals

545, 9th Cross Road, Doddakenchappa Layout, Ylumandyamma Block,
S.S.A. Road, Cholanayakanahalli, R.T. Nagar Post, Bangalore - 560 032.

Ref. :

Date : 15/02/16

To

Assistant Executive Engineer,
Kodigehalli Sub Division,
BBMP, Bangalore.

Sir,

Sub:- Electrical Connection to New drilled Borewell in Veerannapalya, Ward No.7.

RR.NO. 9EP325

Sl. No.	Description	Receipt No.	Amount
1	Application fee		100.00
2	Deposit (2MMD)		6,300.00
3	Meter Purchase		1,889.28
4	Stamp paper		100.00
5	Contractor professional charges for get connection from BESCOM		6,000.00
		Total	**14,389.28**

(Rupees Fourteen Thousand Three Hundred Eighty Nine and paise twenty eight only).

AE-7
Assistant Executive Engineer,
Kodigehalli Sub Division,
Yelahanka Zone, B.B.M.P.,
Bangalore.

For BABU POWER ELECTRICALS

Proprietor.

Name of Work :- Estimate for water supply to Drilling of Borewells Erection of Pump Motors in Veerananapalya in ward – 07

E9 NAGAWARA

Receipt Number	376141191819
Reciept Date	01-02-2016 12:43:17
Cash Counter	BESCOM - E9 SDO Onli ne Cash Counter
Payor Account ID	3761411472
Person Name	AEE BBMP, Kodigehall i SDV
RR Number	á
Total Payment	Rs100.00
Mode of pay	Cash
Purpose	Non Revenue
Non Revenue category	REG-FEE

One Hundred Rupees Only

---------- THANK YOU ----------

BANGALORE ELECTRICITY SUPPLY COMPANY LTD

Application Receipt

E9 NAGAWARA

Receipt Number	376141116886
Reciept Date	06-02-2016 12:05:14
Cash Counter	BESCOM - E9 SDO Onli ne Cash Counter
Payor Account ID	3761411472
Person Name	AEE BBMP, Kodigehall i SDV
RR Number	á
Total Payment	Rs.6,300.00
Mode of pay	Cash
Purpose	Deposits
Non Revenue category	2MMD-FEE

Six Thousand Three Hundred Rupees Only

---------- THANK YOU ----------

BANGALORE ELECTRICITY SUPPLY COMPANY LTD

Deposite Receipt

Pump JE

Assistant Executive Engineer,
Kodigehalli Sub Division,
Yelahanka Zone, B.B.M.P.,
Bangalore.

ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

Bangalore

ಅಂದಾಜನ್ನು ಒಳಗೊಂಡ ಸಮಾಪನ ವರದಿ ಶ್ರೀ (ಹೆಸರು ಮತ್ತು ವಿಳಾಸ) A.E.E. BBMP Ward No:07 opp. to Sri Lake New Appt. Vasavanapalya. B45 ಅವರ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಸಂಪರ್ಕಗಳ ಬಿಲ್ ನಮೂನೆ

ತಾಂತ್ರಿಕ ವಿಭಾಗ

ಅರ್ಜಿ ಸಂಖ್ಯೆ ..... ಅಂದಾಜು ಸಂಖ್ಯೆ AE/GP/46

ಪ್ರಮಾಣ 216(2)10 HP x 1 no. ದಿನಾಂಕ 02/02/2016

ಕ್ರಮ ಸಂಖ್ಯೆ	ವಿವರ	ಸಾಮಗ್ರಿ ಸಂಕೇತ ಸಂಖ್ಯೆ	ದರ	ಅಂದಾಜು ಮಾಡಿದಂತೆ ಪರಿಮಾಣ	ನಿರೀಕ್ಷಿಸಿದಂತೆ ಪರಿಮಾಣ	ಪೊಬಲಗ ಸರಬರಾಜು ಸರಬರಾಜು ಸಂ. ಮತ್ತು ದಿನಾಂಕ
೧.	ಮಾಪಕ ಸಿಂ. ಫೇಸ್ ..... ಆಂಪ್ಸ್ ಮಾಪಕ 3 ಫೇಸ್ ..... ಆಂಪ್ಸ್			2450/-x1no = 2450/-		
೨.	ಓವರ್‌ಹೆಡ್ ಮಾರ್ಗದಿಂದ ಪೋಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡಿನವರೆಗೆ ಸಂಪರ್ಕಾಗ್ಗಿ ವಿರಿಯಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡು ಕಟ್‌ಔಟ್ ಒಟ್ಟಾರೆಯಾಗಿ					
೩.	ಇತರೆ, ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ (ವಿವರ ಒದಗಿಸಿ)			For Public water supply.		
೪.	ಮರುಜಾವಣಿ ಮಾಡಬೇಕಾದ ಸಂಪರ್ಕ ಮಾರ್ಗದ ಮಂಡಳಿಯ ಪಾಲಿನ ಮೊಬಲಗು		ಅಲ್ಲಿ ಸಿಂ. ಫೇಸ್ ರೂ. 400/750 3 ಫೇಸ್ ರೂ. 500/1,000			
೫.	ಬಾಕಿ ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ					150/-
೬.	ಒಟ್ಟು ಮೊತ್ತ					Total: 2600/-

ಸಂಪರ್ಕ ವಿಧಾನ — ಪರಾ

- (ಅ) ಹಾಲಿ ಇರುವ ಸೇವಾ ಮಾರ್ಗ
- (ಆ) ಉದ್ದೇಶಿತ ಸಂಪರ್ಕ ಮಾರ್ಗ
- (ಇ) ಓವರ್ ಹೆಡ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್
- (ಈ) ಭೂಗತ ಕೇಬಲ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್
- (ಉ) ರಸ್ತೆಪಾದಾಚಾರಿ ರಸ್ತೆ ಆಗಿಯುವ ಅಗತ್ಯ ಇದೆಯೇ ಅಥವಾ ಇಲ್ಲವೇ ಸಂಬಂಧಿಸಿದ ಚೌಕದಲ್ಲಿ ಗುರುತು ಮಾಡಿರಿ

Endorsed.

ದೃಢೀಕರಣ : (ಅಂದಾಜನ್ನು ಸಿದ್ಧಪಡಿಸುವ ಅಧಿಕಾರಿಯು ನೀಡತಕ್ಕದ್ದು)

೧. ಆವರಣವನ್ನು ಪರೀಕ್ಷಿಸಿದ ನಂತರ ನಾನು ಅಂದಾಜನ್ನು ಸಿದ್ಧ ಪಡಿಸಿದ್ದೇನೆ. ಮತ್ತು ಮಾಪಕ ಹಲಗೆಯ ಸ್ಥಾನವನ್ನು ನಿಗದಿಪಡಿಸಿ ಅದನ್ನು ಬಳಕೆದಾರರಿಗೆ/ಅವರ ಪ್ರತಿನಿಧಿಗಳಿಗೆ ತೋರಿಸಿದ್ದೇನೆ.

೨. ..... ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಗಾತ್ರದ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಮಾರ್ಗವನ್ನು ಹಾಕಬೇಕಾಗಿದೆ. ಹಾಲಿ ಇರುವ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ಒತ್ತಡದಲ್ಲಿಯೇ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್‌ನ ..... ಗಾತ್ರದ ಓ.ಹೆಡ್/ಭೂಗತ ಕೇಬಲ್ಸ್ ಸೇವಾಮಾರ್ಗದಲ್ಲಿಯೇ ಹೆಚ್ಚುವರಿ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ವಿದ್ಯುತ್ತನ್ನು ಹಾಯಿಸಲು ಸಾಧ್ಯವಾಗುತ್ತದೆ.

V. Umashankar
ಶಾಖಾಧಿಕಾರಿ (ಕಛೇರಿ ಮೇಲ್ವಿಚಾರಕ)
ASSISTANT ENGINEER (Ph.)
BESCOM, E-9, Bangalore-49

೩. ..... ವಿ.ಸ.ಕಂ.ನಿ. ನಿರ್ದೇಶನಗಳಿಗೆ ಅನುಗುಣವಾಗಿ ಐ.ಎಸ್.ಐ. ಗುರುತುಮುದ್ರೆಯುಳ್ಳ ..... ಗಾತ್ರದ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಓವರ್‌ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಕೇಬಲ್‌ಮಾರ್ಗಗಳನ್ನು ಒಳಗೊಂಡಂತೆ ಮಾಪಕ ಹಲಗೆಯ ಸ್ಥಾನದವರೆಗೆ ಸೂಚಿಸಲಾದ ಸ್ಟೀಲ್ ಕಟ್‌ಔಟ್‌ಗಳನ್ನು ಹಾಕಿಸಲು ಮತ್ತು ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಪಡೆದ ಒಂದು ವರ್ಷದ ಅವಧಿಯಲ್ಲಿ ಉಂಟಾಗಬಹುದಾದ ದೋಷಯುಕ್ತ ಸೇವಾಮಾರ್ಗ/ಸಾಮಗ್ರಿಗಳನ್ನು ಗುತ್ತಿಗೆದಾರರ ಮುಯಾಂತರ ನನ್ನ ಸ್ವಂತ ಖರ್ಚಿನಲ್ಲಿ ಸರಿಪಡಿಸಲು/ಬದಲಾಯಿಸಲು ಒಪ್ಪಿದ್ದೇನೆ.

೪. ಮೇಲಿನ 4ನೇ ಕ್ರಮಾಂಕದಲ್ಲಿ ವಿವರಿಸಿರುವಂತೆ ನನಗೆ ಮರುಜಾವಣಿ ಮಾಡಬೇಕಾದ ಮೊಬಲಗನ್ನು ಈ ಸ್ವಾಧೀನಕ್ಕೆ ಸಂಬಂಧಿಸಿದ ಲೆಕ್ಕಕ್ಕೆ ಹೊಂದಾಣಿಕೆ ಮಾಡಬೇಕಾಗಿ ವಿನಂತಿಸುತ್ತೇನೆ.

ಸ್ಥಾಪು

ಬಳಕೆದಾರರ ಸಹಿ

ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ಎ.)
ದಿನಾಂಕ 6/2/16

ಸಹಾಯಕ ಇಂಜಿನಿಯರ್ (ತಾಂತ್ರಿಕ)
ದಿನಾಂಕ .....

ನಿರ್ವಹಣೆ ಮತ್ತು ಪಾಲನೆ ಘಟಕ

ಸಂಪರ್ಕ ದಿನಾಂಕ .....
ಆರ್. ಆರ್. ಸಂಖ್ಯೆ SEP 325 27/2/16
ಅಂಗೀಕರಿಸಲಾಗಿದೆ/ಜೋಡಿಸಲಾಗಿದೆ
ಸಂಪರ್ಕ ವಿಧಾನ : ಓವರ್ ಹೆಡ್/ಭೂಗತ-ಸಿಂಗಲ್ ಫೇಸ್/3 ಫೇಸ್ Wire S/No. FCL-9582J
ಒಟ್ಟಿಗೆ ಉದ್ದ .....
ಮತ್ತರೂ. ..... (ಅ)
ಅಳವಡಿಸಿದ ಸಮೂಹಿಗೆ ಅನುಗುಣವಾಗಿ ಸಂಪರ್ಕ ಮಾರ್ಗ ಹಾಕಲಾಗಿದೆ.

ಸಹಾಯಕ ಇಂಜಿನಿಯರ್ (ವಿ.)
JUNIOR ENGINEER (Ph.)
BESCOM, E-9, Bangalore-49

ರೆವಿನ್ಯೂ ಶಾಖೆಯ ಉಪಯೋಗಕ್ಕೆ

೧.ಖಾತೆ ಪುಸ್ತಕದಲ್ಲಿ ಖಾತೆ ಆರಂಭಿಸಿದ ದಿನಾಂಕ .....
೨.ಖಾತೆ ಪುಸ್ತಕ ಪುಟ ಸಂಖ್ಯೆ .....
೩.ಮೊದಲನೆ ಬಿಲ್ಲನ್ನು ಕಳುಹಿಸಿದ್ದು .....
ಮೊಬಲಗು ರೂ. .....

ವಿಭಾಗ ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ

೧. ಆಸ್ತಿಯ ಮೌಲ್ಯ ರೂ. .....
(ಕಂಪನಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) .....(ಅ)
ಮತ್ತು ರೂ. .....
(ಬಳಕೆದಾರರಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) .....(ಆ)
ಒಟ್ಟು ರೂ. .....(ಅ+ಆ)ಗಳನ್ನು ವರ್ಗೀಕರಿಸಲಾಗಿದೆ
೨. ಸ್ಪಷ್ಟೀಕರಣೆ .....
ಆವರ ಹೆಸರಿಗೆ ರೂ. ..... ಹೊಂದಾಣಿಕೆ ಮಾಡಲಾಗಿದೆ.
೪.ಮಾರ್ಗ ಕನಿಷ್ಠ ಶುಲ್ಕ ರೂ. ..... ಮಾಡಲಾಗಿದ್ದು ವಿಭಾಗೀಯ ಲೆಕ್ಕದಲ್ಲಿ ಸೇರಿಸಲಾಗಿದೆ.

ಕಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಹಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

ಸಹಾಯಕ/ಕಿರಿಯ ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

TAX INVOICE

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O.
No. 503, 3rd Main,
50 Feet Road, Srinagar,
Bangalore - 560 050

Branch Office
O/o Asst. Executive Engineer Elec.,
N 4 Sub Division, BESCOM Office Compound,
Bangalore Electricity Supply Company Limited
14th Cross, Peenya 2nd Stage,
Bangalore - 560 058.

Name AEE BBMP

Address W.No-7

Veerannapalya

BY

BILL No. PNY 51093

DATE : 17/12/16 TIME : AM/PM

TIN : 29330352183
CST No. 01153900 Dt. 10-03-2003

Sl. No.	Description	Quantity	Rate per Pc Rs.	Value Amount Rs.	P.
	Single Phase Static Energy Meter Type : E150, 5-30 Amps				
	Sl. Nos. 3phase C195825	01	1650.00	1650.	00
	VAT @ 14.5%			239.	25
	GRAND TOTAL			1889.	25

AE-7

Name of Company BESCOM DVN. 1E9

W.O. No. A-36660 Date 8/12/16

E.&O.E.

For **Landis+Gyr Limited.**

Mobile: 9902860893
9535000100

ಶರಾವತಿ ಬೋರ್‌ವೇಲ್ಸ್

SHARAVATHI BOREWELLS

No.15/A, PNM Complex, 80 Ft. Road, Ashwath Nagar, MSR Road, RMV 2nd Stage, Bangalore -94, Email:sharavathiborewell@gmail.com

Date : .....

TO

B.M. MUNIRAJU
Class II contractor
Hebbal, Bangalore.

Details of New Borewell drilled @ Veerannapalya, Ward No. 7, Byatarayanapura Division.

(1)	Depth of Drilling	:	1000 Feet
(2)	MS Casing	:	140 Feet
(3)	PVC Filter Casing pipe	:	60 Feet
(4)	Collar (MS)	:	8 Nos.

Yeild of Borewell water : 2000 Gallans / hr.

AE.1

Assistant Executive Engineer,
Kodigehalli Sub Division,
Yelahanka Zone, B.B.M.P.,
Bangalore.

Thanking you,

Yours faithfully,
For SHARAVATHI BOREWELLS

Proprietor / Manager

Laggere Main Road
Laggere
Bangalore- 560 058

S.V.S. ENTERPRISES

GROUND WATER INVESTIGATION REPORT

To. :

Date:

Client:
B.M. Munirajy
Class II Contractor BBMP
Byatarayanapura.

Site:
Veerananapalya
Ward no. 7
Byatarayanapura Division

Hydrological / Geophysical survey was carried out in the plot.

The following are the observations.

Ground water occurrence in the area is under water table conditions mainly confined to weathered and disintegrated mantle of rocks and also in joints and fissures present in the rocks.

1. EXTENT OF LAND : Ring Road Veerananapalya
2. PURPOSE OF STUDY : Public drinking water
3. TOPOGRAPHY : Slope towards North
4. GENERAL :
5. ROCK TYPE : White and Black.

Considering the geology, topography, and hydrological data at the site, resistivity investigations were carried out in order to assess the ground water potential of the area to locate suitable bore well points.

AE-7

Assistant Executive Engineer,
Kodigehalli Sub Division,
Yelahanka Zone, B.B.M.P.
Bangalore.

The following recommendations are made by the interpretations of the data available.

The area is found to be _____ in ground water occurrence.

A bore well at point No. 1 is recommended for drilling.

1. LOCATION : Veerananapalya
2. DEPTH TO BE DRILLING 1000 ft/mtr.
3. PROBABLE LENGTH OF CASING PIPE REQUIRED 140' ft.

4. EXPECTED SEQUENCE OF STRATA :

a. 200 Top soil and highly weathered rock.

b. 450 - 580 Semi weathered and moderated hard rock.

c. 790 - 980 Medium hard rock.

5. EXPECTED YIELD : 2000 Gal/ hr [1 Gal=4.5 ltr]

6. REMARKS :

GEOPHYSICAL SURVEY SITE SKETCH



Not to Scale

For S. V. S. ENTERPRISES

(K. ERANNA)
GEOLOGIST

NOTE:

In spite of limitation in system of study limitations encountered at the site, the most feasible point is recommended based on the application of best known scientific methods.

As the method is not fool proof, THIS REPORT IS ONLY A RECOMMENDATION AND DOES NOT CONSTITUTE ANY GUARANTEE.